

# **WELL CHILD EXAM - LATE CHILDHOOD: 10 YEARS**

(Meets EPSDT Guidelines)

DATE	

童年後期:10歳						
	兒童姓名		兒童由誰	帶來	出生日期	
計	過敏症			目前用藥		
運的	自上次體檢後出現的	的病症/事故/問題/擔憂			今天我有一個不明白的問題,關於:	
<b>由家長和兒童填寫兒童的情況</b>						
記 重 第	是否		是	否		
原和	1 3	的孩子每天都吃早餐。		我的孩子睡蕾	後顯得精力充沛。	
州	我	的孩子在學校表現良好。		我的孩子能超	當地處理壓力、憤怒和挫折。	
	我	的孩子有一個或一個以上親密的朋友	支。	我的孩子每天	<b>一都做健身運動。</b>	
WEIGHT K	WEIGHT KG,/OZ. PERCENTILE HEIGHT CM/IN. PERCENTILE BLOOD PRESSURE					
R	eview of systems	Review of family his	story	Sleep		
Screen	ning:	MHZ R	L		nization Record	
Hearin	-	4000		TB	Dental Referral Hct/Hgb	
		2000 1000		Health Education:  Nutrition	(Check all discussed/handouts given)  Child Care Regular Physical Activity	
		500		Seat Belt	Reading/Homework Helmets/Safety Gear	
Vision		R 20/ L 20/		Passive Smok		
Develo	pment	N A		Dental Care	Puberty/Menses Onset	
Behavi	-			Other:		
	Emotional			Assessment/Plan:		
Physic	Health al:					
	al appearance	N A Chest	N A			
Skin	- -	Lungs				
Head		Cardiovascular/Pul Abdomen	ses			
Eyes Ears		Genitalia				
Nose		Spine				
Oropha Neck	arynx/Teeth	Extremities  Neurologic				
Nodes		Gait				
Describe abnormal findings and comments:						
		IMMUNIZATIONS GIVEN				
				DEFEDRALS		
			REFERRALS			
NEXT VISIT: 12 YEARS OF AGE				HEALTH PROVIDER NAME		
HEALTH PROVIDER SIGNATURE				HEALTH PROVIDER ADDRESS		
DSHS 13-685C CH (REV. 08/2004)						

DISTRIBUTION: White - Physician Yellow - Parent/Guardian

SEE DICTATION

#### Guidance to Physicians and Nurse Practitioners for Late Childhood (10 years)

The following highlight EPSDT screens where practitioners often have questions. They are not comprehensive guidelines.

#### Fluoride Screen

Fluoride supplements should be considered for all children drinking fluoride deficient (<0.6 ppm F) water. Before supplements are prescribed, it is essential to know the fluoride concentration of the patient's drinking water. Once the fluoride level of the water supply has been evaluated, either through contacting the public health officials or water analysis, as well as evaluating other sources of fluoride, the daily dosage schedule can be recommended. Pediatric Dentistry: Reference Manual 1999--00.(21)5.


#### **Bed-wetting**

Most children who wet the bed over come the problem between 6-10 years of age. Even without treatment all children eventually get over it. It is important for primary care practitioners to discuss with parents any concerns about their child's incontinence and potential treatment options during the annual exam. Use clinical judgment with treatment.

#### **Total Cholesterol/Lipoprotein Screens**

- Screen children with a parent or grandparent with premature (before age 55) cardiovascular disease.
- Recommend lipoprotein screen for children with a total cholesterol equal to or greater than 170 on two tests with a parent whose cholesterol is greater than or equal to 249 mg/DI.

#### **Developmental Milestones**



Notes: Immunization schedules are from the Advisory Committee on Immunization Practice of the U.S. Centers for Disease Control and Prevention.



DSHS 13-685C CH (REV. 08/2004)

### 健康兒童體檢 - 童年後期:10歳 WELL CHILD EXAM - LATE CHILDHOOD: 10 YEARS

(符合EPSDT早期定期檢查、診斷和治療指南標準)

日期		

」 參見口述記錄

童年後期:10歳					
	兒童姓名	由誰帶來 出生日期			
完	過敏症	目前用藥			
填寫兒童的帽	自上次體檢後出現的病症/事故/問題/擔憂	今天我有一個不明白的問題,關於:			
	我的孩子每天都吃早餐。       [         我的孩子在學校表現良好。       [         我的孩子有一個或一個以上親密的朋友。       [	是 否 我的孩子睡醒後顯得精力充沛。 我的孩子睡醒後顯得精力充沛。 我的孩子能適當地處理壓力、憤怒和挫折。 我的孩子每天都做健身運動。			
體重 千克/	盘司 百分比     身高 厘米/英寸 百分比    血壓	飲食			
系	統審核     家族健康史審核	睡眠			
一檢聽 視 發行社心 身整皮頭眼耳鼻口頸淋 請查力 力 育為會理 體體膚部睛朵子咽部巴 逆击 檢 一次健:外	性 4000	□ TB(肺結核)       □ 牙科轉介       □ Hct/Hgb         □ 保健教育:       (勾劃所有已討論過/已發過相關資料的項目)         □ 營養       □ 托兒       □ 定期運動         □ 安全帶       □ 閱讀/家庭作業       □ 頭盔/安全裝置         □ 被動吸煙/吸煙       □ 就寢規矩/家中的規矩         □ 牙齒保健       □ 青春期發育/月經來潮         □ 其他:       □         評估/計畫:       □			
		- 已完成的免疫接種			
		轉介			
	下次檢查:12歲	保健服務機構名稱			
保健服務核	構簽名	保健服務機構地址			

童年後期:10歲

# 10歲兒童的保健

## 重要標誌

### 兒童在10至12歳期間的生長發育。

您的孩子應該長出側恆齒、尖牙和前磨牙。

許多兒童會在10至12歲期間開始發育成人。 女孩子的乳房開始隆起並出現月經。男孩子 會長出臉部毛發和陰毛。

在這些身體變化出現前就應與孩子談論。男孩子應懂得鬍鬚、變聲和遺精。女孩子應懂 得在月經初潮時該如何處置。

您可以在與您的孩子交談和玩耍時幫助她學習新事物。做一個練習遊戲,在有陌生人提供搭乘便車時做拒絕手勢或者說"不"。

### 若需要幫助或詳細資訊,請電

家長計劃、計劃生育機構、衛生部和社區學院會提供"我與媽媽"或"我與爸爸"的課程,幫助向青少年説明成長的過程。 請電1-800-375-2666。

### 槍枝安全:

槍枝保存熱線 1-800-LOK-IT-UP (565-4887)

### 嬰兒車座椅安全:

安全約束裝置聯盟 1-800-BUCK-L-UP(留言)或 1-800-833-6388(TTY中繼轉發)

### 子女教養技巧或支持:

家庭幫助專線 1-800-932-HOPE (4673) 西北地區家庭服務資源 1-888-746-9568當地社區學院課程

### 保健須知

您的孩子應至少每兩年去醫生處做一次體檢。

她應每六個月做一次牙科檢查。確定她每天能用含 氟牙膏正確刷牙並使用牙線。

您和孩子應每天做健身運動20至30分鐘。你們可以 一起步行或滑旱冰。這是她要學會的一個很重要的 習慣。

### 子女教養須知

讓孩子每週幫助您計劃和準備飲食。這是讓他練習 選擇健康飲食所有部份的最好機會。

撫摸、擁抱和親吻孩子,表達您對他的愛護。這是 很重要的,即使孩子在周圍有他的朋友時可能不願 意您這樣做。

教育孩子在她生氣時哪些事情是可以和不可以做 的。學會平靜地處理家人之間的爭論,有助於她平 靜地處理與朋友的爭論。

# 安全須知

在住宅內注意家庭安全事宜:

- 檢查煙霧警報器,並在需要時更換電池。
- 做消防演習,練習走逃生路線並在煙霧下面 爬行。
- 所有的手槍和槍枝都無子彈上膛並且鎖好。
- 每次共乘時,所有的人都應繫好安全帶。
- 在騎車、玩滑輪或騎踏板車時,應正確使用頭 盔和護墊。成年人也必須使用頭盔和護墊!

教育孩子關於槍支安全的事項。他們永遠不能玩真 槍。若您家中存有槍枝,要確定槍枝無子彈上膛並 且鎖好。